

Enea Café Wood Stool

Product Environmental Profile is an environmental declaration according to the objectives of ISO 14021. Precise, accurate, verifiable and relevant information on sustainability attributes of **Enea Café Wood Stool.**

Residential meets social. Enea Café Stools help create inviting and thoughtfully curated workspaces. The warm, modern design of the Enea Café Wood Stool makes a statement with a residential design character.

The model chosen for analysis from the Enea Café Wood Stool range is reference # COH350W27. Standard features for Enea Café Wood Stool include:

- · Counter and bar height options
- Molded polypropylene, wood, upholstery or leather seat
- · Solid wood oak legs, with a natural finish
- 5 standard polypropylene colors
- Footrest in trivalent chrome



Environmental Overview

Final Assembly Location

Final assembly of Enea Café Wood Stool is in Reynosa, Mexico by Steelcase for the Americas Market.

Life Cycle Performance

Steelcase considers each phase of the life cycle: from materials extraction, production, transport, use and reuse, through the end of its life.

Materials

Materials Composition

A break down of the basic materials in Enea Café Wood Stool.

Materials Chemistry

Steelcase's materials chemistry practice aims to design products with materials that support human and environmental health, throughout all phases of the life cycle.

Recycled Materials and Recyclability

Enea Cafe Wood Stool contains 13.3% recycled materials by weight (9.5% post-consumer + 5.7% pre-consumer).

At the end of its useful life, Enea Café Wood Stool is 28% recyclable by weight.*

Certifications and Labels 💿

The environmental and social performance of Enea Café Wood Stool is communicated through the following voluntary labels/certifications:

- SCS Indoor Advantage[™] Gold
- BIFMA level® 2

LEED Contribution

Enea Café Wood Stool may contribute in the following areas:

- Recycled content
- Materials reuse
- Regional materials
- Low-emitting materials
- · Interiors life-cycle impact reduction
- · Building product disclosure and optimization material ingredients
- · Daylight and views
- Building product disclosure and optimization sourcing of raw materials
- Quality Views
- Construction & Demolition Waste Planning & Management
- · Certified Multi-attribute Products and Materials
- Social equity within the supply chain

Life Cycle Performance

Steelcase considers each phase of the life cycle: from materials extraction, production, transport, use and reuse, through the end of its life.

Materials

This phase includes raw materials extraction and transformation into material ready to be used.

- Enea Café Wood Stool contains 13.3% recycled materials by weight (9.5% post-consumer + 5.7% pre-consumer).
- Materials chemistry assessment in progress for this product.
- Low formaldehyde and VOC emissions when Enea Café Wood Stool tested in accordance with ANSI/BIFMA M7.1 following the criteria detailed in ANSI/BIFMA e3 Sustainability Standard, Low Emitting Furniture credit 7.6.
- Rapidly renewable wool textiles available to specify with product.
- Product comes standard without PVC.
- Enea Café Wood Stool contains 71% new wood by weight. FSC certified wood is available as a special for some product lines.

Production

This phase comprises all production and assembly processes taking place at Steelcase or at their suppliers and sub-suppliers.

- The plant in Reynosa, Mexico is ISO 14001 certified.
- Final assembly of Enea Café Wood Stool is in Reynosa, Mexico by Steelcase for the Americas Market.

Transport

This phase includes downstream transports.

• Made in North America.

Use

During the use phase of the product - the longest phase of the life cycle - no significant environmental impacts occur.

- Product meets ANSI/BIFMA Standards M7.1/X7.1 for low- VOC emissions to indoor air quality - SCS Indoor Advantage[™] Gold.
- **Designed for a long product life** with replaceable parts that are easy to change.

End of Use

Any product can become a resource itself, or be responsibly disposed of in different ways.

- Designed to enable responsible end of use strategies re-selling, refurbishing, charitable donation or recycling.
- 28% of the materials by weight can be recycled, according to the current waste disposal schemes.*

- Cleaning instructions available.
- · Maintenance information available upon request.

- Primary plastic parts clearly labelled for easy sorting and effective recycling, according to ISO 11469.
- Disassembly and recycling directions available upon request, for a representative configuration.

Materials

Enea Café Wood Stool materials composition is listed below.*

WOOD BASED MATERIALS

72%	

28

<1%

Solid wood	3.1	6.8	58.9
Plywood	0.7	1.5	12.7
METALS			
	kg	lb	%
Steel	0.8	1.8	14.6
Aluminum 	0.7	1.5	13.5
PLASTICS	0.7 kg	1.5 Ib	13.5

5.3 *The list of materials does not contain all materials used in the product (adhesives, coatings, residuals, etc.).

11.7

Materials Chemistry

Steelcase's goal in its materials chemistry practice is to design products with materials that have been evaluated or assessed for several human and environmental health criteria - all in an effort to understand and optimize the products throughout their life cycle.

TOTAL WEIGHT

Steelcase has worked with our supply chain to inventory and assess at least 90% of the materials in this product down to 0.01% (or 100 ppm) in each homogeneous material. The intent is to eliminate chemicals of concern and optimize with healthier materials of equal or greater functionality.

Recycled Materials and Recyclability

Recycled materials are determined by weight and defined in accordance with the ISO 14021. They may include pre- and post-consumer materials:

- Pre-consumer materials (or post-industrial recycled materials) are materials diverted from the waste stream during a manufacturing process. Excluded is reutilization of materials such as rework, regrind or scrap generated in a process and capable of being reclaimed within the same process that generated it.
- Post-consumer materials are materials generated by households or by commercial, industrial and institutional facilities in their role as end-users of the final product, which can no longer be used for its intended purpose. This includes returns of material from the distribution chain.



ENEA CAFÉ WOOD STOOL

Total recycled content	0.7	1.5	13.3
Post-consumer recycled content	0.5	1.1	9.5
Pre-consumer recycled content	0.3	0.7	5.7
	kg	lb	%

Pre-consumer - Recycled content

- Post-consumer Recycled content
- Virgin material

Calculations of recycled materials are based on data provided by professional organizations, suppliers and other available information. Recycled content figures are based off of product weight only, and exclude packaging for evaluation to LEED contribution and other purposes. This data may include industry averages, ranges or other broadly based information. Steelcase makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content. This document will be reviewed and updated periodically and is subject to change without notice.

Recyclability

Steelcase considers a material recyclable if it can be effectively collected, sorted, processed, and converted into raw materials to be used in the production of new products.* Recyclability calculation does not include packaging.



28%

According to the available waste management infrastructures, we estimate that 28% is recyclable.

*Excludes packaging. To be compliant with applicable regulations, Steelcase calculations are based on the materials having physical properties that allow recycling, our evaluation of the ability to disassemble the products and the actual availability of recycling services in the markets where the products are sold.

Certificates

To show continuous improvements, Steelcase communicates the environmental and social performance of its products through voluntary labels and declarations.

ON THE PRODUCTS

BIFMA level®

This product is level[®] 2 certified. BIFMA level[®] is sustainability certification program for furniture. This certification program assesses a products impact to materials, energy & atmosphere, human & ecosystem health, and social responsibility.

SCS Indoor Advantage[™] Gold

This product is SCS Indoor Advantage[™] Gold certified ⁽¹⁾ according to the indoor air quality emissions requirements defined by the ANSI/ BIFMA M7.1- 2011.

ON THE MATERIALS

E1

The wood based materials of this product comply with the E1 standard of emissions / concentration of formaldehyde.

ON THE PLANTS

ISO 14001

The plant in Reynosa, Mexico is ISO (International Organization for Standardization) 14001 - Environmental management system certified.

LEED Contribution

LEED, or Leadership in Energy & Environmental Design, is a green building certification program that recognizes best-in-class building strategies and practices. Enea Café Wood Stool may contribute to a project's pursuit of LEED certification across the three rating systems:

- LEED-ID+C Interior Design & Construction 2009 (formerly LEED-CI)
- LEED-BD+C Building Design & Construction 2009 (formerly LEED-NC, LEED-Core & Shell & LEED-Schools)
- LEED-O+M Operations & Maintenance (formerly LEED-EB)

LEED V3 - 2009

CREDITS	RATING SYSTEM			POTENTIAL CONTRIBUTION*
	ID+C	BD+C	O+M	
Materials & Resources				
		MRc4		Enea Café Wood Stool contributes to the project recycled
Recycled content	MRc4	Healthcare:		content criteria:
		MRc5 Option 3	MRc2.2:	post-consumer (9.5%) + ½ pre-consumer (5.7%) = 12.4%.
Materials reuse	MBc3.2	Healthcare:	Sustainable purchasing- Furniture	If chosen for reuse, this product can contribute to
Materials reuse	IVINCO.2	MRc5 Option 3		the 30% valuation of the furniture & furnishings budget
Regional materials	MRc5	Healthcare: MRc5 Option 3		Final assembly of Enea Café Wood Stool is 100.0% in Reynosa, Mexico. Projects <500 miles (800 km) from this location qualify.
Indoor Enviromental Quality				
Low emitting materials	EQc4.5	Healthcare: MRc5 Option 2	N/A	Enea Café Wood Stool is SCS Indoor Advantage™ Gold (depending on options) certified for indoor air quality in NA.
Daylight and views	EQc8.1 & 8.2	EQc8.1 & 8.2**	EQc2.4	Steelcase offers a range of products and application thought starters to assist customers in achieving these credits.

*For Potential Contribution: These are the probable contributions; exact contributions will be dependent on the LEED rating system and the specific product.

**For LEED BD+C: New Construction, these standards do not currently apply to furniture in the IEQ credit; however, the USGBC has allowed equivalent credit for furniture / furnishings when submitted as an Innovation in Design credit.

LEED is a rating system that drives integrated design thinking as it relates to various aspects of green buildings. Enea Café Wood Stool can contribute to a project's pursuit of LEED Certification across the three rating systems:

- LEED-ID+C Interior Design & Construction
- LEED-BD+C Building Design & Construction
- LEED-O+M Operations & Maintenance

LEED V4

CREDITS	RATING SYSTEM			POTENTIAL CONTRIBUTION*	
	ID+C	BD+C	O+M		
Materials & Resources					
Interiors life-cycle impact reduction	Option 2: Furniture Reuse	N/A	Purchasing - facility maintenance and renovation Option 2: furniture	Steelcase products are designed to be long lasting and durable often making reuse a feasible option, depending on project needs and desirability.	
Interiors life-cycle impact reduction	Option 3: Design for flexibility	N/A		Enea Café Wood Stool is designed to be adaptable for design needs today and in the future and can easily be changed to remain on pace with evolving business needs.	
		Option 2: Leadership extraction practices		Extended Producer Responsibility - Steelcase offers different end of use / end of life programs for different markets, to reuse, resell, refurbish, donate, or recycle the mix of existing assets – all in an effort to divert materials from the landfill (See notes below).	
Building product disclosure and optimization - sourcing of raw materials	Leadership extraction practices	Healthcare - Medical furniture & furnishings Option 3: Multi-attribute		Bio-based materials - Steelcase offers select textile and surface material options that may contribute to this credit.	
				Wood products - Steelcase offers FSC [™] certified wood as an option on select products, which contributes to this option.	
				Materials Reuse - If chosen for reuse, this product can contribute.	
		assessment		Recycled content - (9.5%) post-consumer + $\frac{1}{2}$ pre-consumer (5.7%) = 12.4%.	
Building product disclosure and optimization - material ingredients Building product disclosure and optimization - material ingredients optimization - material ingredients Reporting Option 1: Material Ingredient Reporting Option 1: Material Ingredient Reporting Option 1: Minimal chemical content		Material Ingredient	Purchasing -		
	Material Ingredient	and medical	facility maintenance and renovation	maintenance and renovation Enea Café Wood Stool has achieved ANSI/BIFMA e credit 7.5.1.3 at 90% or greater which contributes to	Enea Café Wood Stool has achieved ANSI/BIFMA e3-2014 credit 7.5.1.3 at 90% or greater which contributes to this credit.
	Option 2: Furniture				
Construction & Demolition Waste Planning & Management	Required	Required	N/A	Steelcase uses several innovative packaging initiatives to minimize our waste impact (see transport section). These efforts may help to contribute, in part, towards achieving this prerequisite or credit.	

*For Potential Contribution: These are the probable contributions; exact contributions will be dependent on the LEED rating system and the specific product.

LEED V4 Continued

CREDITS	F	RATING SYSTEM		POTENTIAL CONTRIBUTION*		
	ID+C	BD+C	O+M			
Indoor Enviromental Quality						
		Required				
Low emitting materials	Option 1: Product Category Calculations or Option 2:	Option 1: Product Category Calculations or Option 2: Budget Calculation Method	Purchasing - facility maintenance and renovation	Enea Café Wood Stool is SCS Indoor Advantage™ Gold (depending on options) certified for indoor air quality in N		
	Budget Calculation Method	Furniture and medical furnishings Option 2:	Option 2: Furniture			
	testing and modeling of chemical content					
Quality views Cred	Credit	Credit	Daylight and quality views	Steelcase offers a range of products and application thought starters, though several other factors play into achieving this		
Quality views	Gredit	Credit	Option 2: Quality views	credit, beyond the scope of furniture.		

Materials and Resources

Pilot Credits: The following credits are potential contribution areas for Steelcase products and applications				
Certified Multi-attribute Products and Materials	Pilot	Pilot	Pilot	Enea Café Wood Stool is level® 2 certified, which will contribute to this pilot credit.
Social equity in the supply chain	N/A	MR Pilot	N/A	Enea Café Wood Stool is level® 2 certified, which contributes to this pilot credit which demonstrates compliance to ANSI/ BIFMA e3 Sustainability Standard – Social Responsibility sections 8.7.2.1 and 8.7.2.2.

*For Potential Contribution: These are the probable contributions; exact contributions will be dependent on the LEED rating system and the specific product

Refer to www.usgbc.org for LEED Program details.

Steelcase sustainability related actions and results are communicated annually in the Corporate Sustainability Report. 💿



Visit Steelcase.com



f facebook.com/Steelcase

stwitter.com/Steelcase



You

07/2018 © 2014 Steelcase Inc. All rights reserved. All specifications subject to change without notice. Trademarks used herein are the property of Steelcase Inc. or of their respective owners.